TE-TWIN SERIES

Two Spot Colours TC-Series TC-Twin144





Main Specifications

- Side printing on porous or non-porous surfaces 144 mm high! Unique
- Two spot colours and automatic software adjustments (two of any available colours)
- Safety logos pre-installed in the software library
- Up to 60m/min for a resolution of 180dpi
- Easy to install and use
- Priming button and ink-low detection built-in
- Industrial and compact
- Low annual maintenance













GHS / CLP

Two Spot Colours Print-head



- Print characters from 0.7 to 144mm
- Print text / logos / images / barcodes / date / time / variable data / etc...
- Side printing on most type of porous or non-porous substrates (depending on the ink type)
- Up to 4 heads driven from the same controller
- Prime button and ink-low built-in
- Two colours with automatic software management and threshold adjustment
- Print any message built around 2 spot colours
- Easy installation and low annual maintenance


>>> Applications


Printing on paper / cardboard porous-recycled or varnished / wood / EPS / building materials / plastic-paper bags / fabrics / straps / etc ...


Туре	TC-Twin144-35pl	TC-Twin144-80pl
Printing height	144 mm	144 mm
Printing speed at 180dpi	60m/min	38m/min
Oil based inks	❤	❤
Solvent based inks		~
Drop size Drop size	35pl	80pl
Resolution	90-360 dpi	90-360 dpi
Printing frequency	7.1 Khz	4.3Khz
Height of lower dot from base	48 mm	48 mm
Weight	8.9 Kg	8.9 Kg

>>> Dimensions:

Refer to the operator manual for more details







Easy message design using Codex Software suite

A lot of colours available



